

INDEX MAPS.

T.10N, R.4E. 2nd Mer.

	6	6	5	5	5	4						
8	6	30	5	24	4	20	3	16	2	12	1	4
	29		29		24		20		16		12	
8	7	29	8	23	9	19	10	15	11	11	12	4
	28		28		23		19		15		11	
7	18	28	17	23	16	19	15	15	14	10	13	3
	27		27		22		18		14		10	
7	19	27	20	22	21	18	22	14	23	10	24	3
	26		26		22		17		13		9	
7	30	26	29	21	28	17	27	13	26	9	25	2
	25		25		21		17		13		9	
6	31	25	32	21	33	16	34	12	35	8	36	2
	2		2		1		1		1		1	

T.11N, R.4E. 2nd Mer.

	36		36		36		35		35		35	
38	6	60	5	54	4	50	3	46	2	42	1	34
	60		59		54		50		46		42	
38	7	59	8	54	9	50	10	46	11	42	12	34
	59		58		53		49		45		41	
38	18	58	17	53	16	49	15	45	14	41	13	34
	58		57		53		49		44		40	
37	19	57	20	52	21	48	22	44	23	40	24	33
	57		56		52		48		44		40	
37	30	56	29	51	28	47	27	43	26	39	25	33
	56		55		51		47		43		39	
37	31	55	32	51	33	47	34	43	35	39	36	33
	32		32		32		31		31		31	

(P The figures on the lines refer to the page.

Township N. 11 North, Range N. 4 East T. 11 S. Mer. Indiana

South Boundary var. 7.15. E

- West On the S. boundary of Sec. 36, T. 11 N. R. 4 E.
 13.99 a Hickory 20 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bears N 24 E 7 lks. dist. &
 a Oak 21 " " " S 14 W 21 " "
 68.96 a Poplar 30 " "
 80.00 Set a post Cor. To Sec. 35 & 36, T. 11 N. R. 4 E, from which
 a Beech 20 in. dia. bears S 47 E 10 lks. dist. &
 a Do 8 " " " N 36 W 42 " "
 Level Land good for farming, timber Beech
 Sugar, ash, undergth Spice &c.

- West On S. boundary of Sec. 35, T. 11 N. R. 4 E.
 24.00 a Beech 20 in. dia.
 38.00 a Creek 40 lks. wide Course South
 40.00 Set the q. Sec. post, from which
 a Walnut 20 in. dia. bears S 35 W 18 lks. dist. &
 a Beech 12 " " " N 30 W 20 " "
 55.00 a Beech 20 " "
 80.00 Set a post Cor. To Sec. 34 & 35, T. 11 N. R. 4 E, from which
 a W. Ash 18 in. dia. bears N 28 E 24 lks. dist. &
 a Do 16 " " " S 71 W 15 " "
 Land timber &c. same as on the last mile

- West On S. boundary of Sec. 34, T. 11 N. R. 4 E.
 23.92 a Hickory 18 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 24 in. dia. bears S 1 W 19 lks. dist. &
 a Do 6 " " " N 4 W 19 " "
 40.50 a Branch 8 lks. wide Course S. W.
 67.00 a Creek 30 " " " S. W.
 74.00 a Do 40 " " " South
 80.00 Set a post Cor. To Sec. 33 & 34, T. 11 N. R. 4 E, from which
 a Beech 24 in. dia. bears N 40 E 24 lks. dist. &
 a Do 8 " " " S 26 W 18 " "

T. 11 N. R. 4 E. 2^d Mer. Indiana

Level rich Land, timber Beech, Walnut, Poplar,
Sugar &c. undergr^{ss}. Spice, pawpaw. &c.

- West On S. boundary of Sec. 33, T. 11 N. R. 4 E.
 5.10 an Elm 30 in dia.
 38.00 a Branch 4 lks. wide Course N. E.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bears N 47 W 10 lks. dist. &
 a Do 6 " " " S 25 W 15 " "
 55.00 a Branch 4 lks. wide Course North
 76.15 a Do 12 " " " N. E.
 78.00 a Sugar 18 in. dia.
 80.00 Set a post Corner To Sec. 32 & 33, T. 11 N. R. 4 E, from which
 a Beech 18 in. dia. bears N 51 E 23 lks. dist. &
 a Do 16 " " " S 14 W 12 " "
 Broken Land 2^d rate, timber Beech, Sugar,
 Ash &c. undergr^{ss}. Spice &c.

- West On S. boundary of Sec. 32, T. 11 N. R. 4 E.
 10.24 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bears S 42 E 12 lks. dist. &c.
 a Do 12 " " " N 26 W 12 " "
 50.94 an Oak 30 " "
 90.00 Set a post Corner. to Sec. 31 & 32, T. 11 N. R. 4 E, from which
 a Beech 6 in. dia. bears S 24 W 8 lks. dist. &
 a Do 12 " " " N 45 E 5 " "
 Land timber &c. same as on the last mile
 June 28th. 1819

- West On S. boundary of Sec. 31, T. 11 N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bears S 30 W 27 lks. dist. &c.
 a Do 10 " " " N 25 W 32 " "
 69.70 Intersected the Cor. of Towns. 10 & 11. North
 Ranges 3 & 4 East— Set a post, from which

T.M. N. 4 E. 2. Mer. Indiana

a Beech 18 in. dia. beam N 61 W 7 lks dist 4c
 a Gum 20 " " " N 58 E 14. "
 Broken land, timber Beech, Ash, Sugar
 Poplar &c. underg^r. Spice &c. good Soil.

East Boundary var. 5.50' E.

North On E. boundary of Sec. 36, T. 11 N. R. 4 E.
 18.85 a Beech 14 in. dia. beam in the line
 40.00 Let the g^r. Sec. post, from which
 a Sugar 12 in. dia. beam N 62 W 3 lks. dist. of
 a Beech 5 " " " N 75 E 11 " "
 58.65 a Beech 17 " "
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Beech 10 in. dia. beam N 25 W 24 lks. dist. of
 a No 18 " " " N 42 E 24 " "
 Over good farming land.

North On E. boundary of Sec. 25, T. 11 N. R. 4 E.
 12.06 a Hickory 15 in. dia. in the line
 40.00 Let the g^r. Sec. post, from which
 a Sugar 6 in. dia. beam N 62 E 6 lks. dist. of
 a Beech 6 " " " N 39 W 26 " "
 47.95 a Blue Ash 9 in. dia.
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 an Ash 20 in. dia. beam N 8 E 7 lks. dist. of
 a Hickory 9 " " " N 24 W 36 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 24, T. 11 N. R. 4 E.
 31.00 a Beech 20 in. dia. in the line
 40.00 Let the g^r. Sec. post, from which
 a Beech 7 in. dia. beam N 11 E 13 lks. dist. of
 a Logw^d. 9 " " " S 9 W 18 " "
 47.40 a Poplar 36 " "
 80.00 Let a post Cor. to Sec. 13 & 24, from which
 a Beech 19 in. dia. beam N 61 E 4 lks. dist. of

T11N R4E. 2nd Mer. Indiana

a Beech 21 in. dia. bray N65 W 25 lbs. dist.
Land timber fe. same as on the last mile

North On E. boundary of Sec. 13, T11N. R4E.

1.50 a Branch 8th wide Course S.E.

8.10 a Beech 20 in. dia.

40.00 Let the q. Sec. post, from which
a Sugar 10 in. dia. bray N55 E 11 lbs. dist.
an Elm 68 " " " S86 W 39 " "

55.15 a W. Oak 18 " "

80.00 Let a post Cor. to Sec. 12 & 13, from which
a Beech 15 in. dia. bray N89 W 15 lbs. dist.
a No 4 " " " N66 E 17 " "
Land timber fe. same as on the last mile

North On E. boundary of Sec. 12, T11N. R4E.

27.40 a Sugar 9 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 6 in. dia. bray N58 W 11 lbs. dist.
a Hickory 21 " " " S58 E 2 " "

54.75 a Beech 18 in. dia. in the line

80.00 Let a post Cor. to Sec. 11 & 12, from which
a Sugar 8 in. dia. bray N73 W 12 lbs. dist.
a Spruce 15 " " " S66 E 20 " "
Land timber fe. same as on the last mile

North On E. boundary of Sec. 1, T11N. R4E.

20.80 a W. Oak 15 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 6 in. dia. bray N71 W 9 lbs. dist.
a W. Beech 6 " " " S83 E 11 " "

71.50 a Brook 70 lbs. wide Course E.

78.95 Let a post Cor. to Township N. 11 & 12 North
Range N. 4 & 5 East, from which
a Red Oak 4 in. dia. bray N37 W 7 lbs. dist.
a Buckeye 9 " " " S70 E 29 " "

T.M. N. 12 E. 2. Mer. Indiana

The description of the above range line
will be found in John McDonald's field
notes - Richland, Poplar, Walnut &c. Comp.

North Boundary var. 7.15. E.

West On S. boundary of Sec. 36, T12 N. 12 E.

26.90 a Creek 75 yds. wide Course S. E.

36.15 a Beech 18 in. dia.

40.00 Let the g. Sec. post, from which

a — 7 in. dia. beam N 79 E 26 yds. dist. of

a Do 12 " " " S 75 W 9 " "

67.70 a Branch 6 yds. wide Course S. E.

80.00 Let a post Cor. to Sec. 35 & 36, T12 N. 12 E. from which

a Beech 9 in. dia. beam S 89 W 27 yds. dist. of

a Do 18 " " " N 36 E 14 " "

Level land timber Beech, Ash &c. and g. Spruce

West On S. boundary of Sec. 35, T12 N. 12 E.

13.00 a Beech 16 in. dia.

40.00 Let the g. Sec. post, from which

an Ash 10 in. dia. beam S 12 E 3 yds. dist. of

a Do 15 " " " N 30 W 20 " "

73.86 a Beech 15 " "

80.00 Let a post Cor. to Sec. 34 & 35, T12 N. 12 E. from which

a Pin Oak 15 in. dia. beam N 82 E 17 yds. dist. of

a Hackberry 9 " " " S 52 W 25 " "

Land timber &c. Same as on the last mile

West On S. boundary of Sec. 34, T12 N. 12 E.

40.00 Let the g. Sec. post, from which

a Beech 21 in. dia. beam N 55 E 14 yds. dist. of

a Do 20 " " " S 73 W 36 " "

69.42 a Beech 20 " "

80.00 Let a post Cor. to Sec. 33 & 34, T12 N. 12 E. from which

a Hickory 6 in. dia. beam S 70 E 29 yds. dist. of

a Beech 18 " " " N 39 W 10 " "

T.M.N. R4 E. 2nd Mer. Indiana

Level land, timber, Beech, Ash, Sugar &c. undug.
Spruce &c. Soil good.

West On S. boundary of Sec. 33, T12 N. R4 E.
38.93 an Ash 18 in. dia.

40.00 Set the q. Sec. post, from which
a Poplar 6 in. dia. bear S69 E 5 1/2 m. dist. of
a Do 18 " " " N65 W 25 " "

80.00 Set a post Cor. to Sec. 32 & 33, T12 N. R4 E, from which
an Ash 14 in. dia. bear S46 E 10 1/2 m. dist. of
a Beech 21 " " " N74 W 31 " "

Rolling land, timber Beech, Ash, Sugar, Oak &c.
undugth. Spruce, Dogwood &c. Soil good

West On S. boundary of Sec. 32, T12 N. R4 E.
00.75 an Ash 24 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bear S79 W 18 1/2 m. dist. of
an Ironwood 6 " " " N20 E 28 " "

80.00 Set a post Cor. to Sec. 31 & 32, T12 N. R4 E, from which
a Poplar 24 in. dia. bear S84 E 25 1/2 m. dist. of
a Beech 10 " " " N85 E 25 " "

Gently rolling, timber Beech, Ash, Poplar &c
undugth. Spruce, Soil good.

West On S. boundary of Sec. 31, T12 N. R4 E.

30.25 a Branch 6 in. wide Course N.W.

27.25 an Ash 21 in. dia.

40.00 Set the q. Sec. post, from which
an Ash 15 in. dia. bear N64 W 30 1/2 m. dist. of
a Beech 9 " " " S46 E 9 " "

70.00 Intersected the N & S. line 50 1/2 m. S. of temp. post
Set a post, Cor. to Town 11, T12 N. Range 3 & 4
East, from which
a Blue Ash 27 in. dia. bear N6 W 8 1/2 m. dist. of
an Ash 12 " " " S27 E 21 " "

M. N. R. 4 E. 2nd Mer. Indiana

Sand timber &c. same as on the last mile

West Boundary var. 5.40' E.

North On E. boundary of Sec. 36, M. N. R. 3 E.

31.50 a Beech 20 in. diam.

40.00 At the q. Sec. post, from which
a Beech 9 in. diam. bears N 61° W 12 lbs. dist. 4
a Do 10 " " " S 25° E 23 " "

50.42 a Hickory 18 " "

71.00 a Branch 7 lbs. wide Course S. E.

80.00 At a post cor. to Sec. 25 & 36, M. N. R. 3 E, from which
an Ash 24 in. diam. bears N 30° W 13 lbs. dist. 4
a Beech 8 " " " S 56° E 20 " "
Protan land, timber Beech, Poplar, Oak
&c. including th Spruce &c.

North On E. boundary of Sec. 25, M. N. R. 3 E.

12.15 a Poplar 36 in. diam.

40.00 At the q. Sec. post, from which
a Beech 6 in. diam. bears N 80° W 15 lbs. dist. 4
a Do 7 " " " S 82° E 17 " "

56.90 a Gum 21 " "

68.25 a Branch 10 lbs. wide Course S. W.

80.00 At a post cor. to Sec. 24 & 25, M. N. R. 3 E, from which
a Beech 20 in. diam. bears N 15° W 15 lbs. dist. 4
a Do 14 " " " S 85½° E 18 " "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, M. N. R. 3 E.

11.60 a Sugar 18 in. diam.

23.25 a Branch 7 lbs. wide Course S. W.

40.00 At the q. Sec. post, from which
a Sugar 6 in. diam. bears S 27° W 15 lbs. dist. 4
a Beech 9 " " " N 41° E 18 " "

51.50 a Beech 15 " "

56.00 a Branch 6 lbs. wide Course S. W.

T.M.N. R4 E. 2. Mer. Indiana

80.00 Let a post cor. to Sec. 13 of 24, T.M.N. R3 E, from which
a W. Oak 30 in. dia. bear S 71° 10' 12" E. dist. of
a Beech 9 " " " S 27° 11' 12" E. "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 13, T.M.N. R3 E.

26.90 a Poplar 30 in. dia.

40.00 Let the q. Sec. post, from which
a Sugar 18 in. dia. bear S 38° 11' 32" E. dist. of
a Beech 9 " " " S 85° E 9 " "

64.55 a Beech 18 " "

80.00 Let a post cor. to Sec. 12 of 13, T.M.N. R3 E, from which
an Ash 9 in. dia. bear N 82° E 19' 12" E. dist. of
a W. Oak 10 " " " S 15° 11' 29" E. "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T.M.N. R3 E.

11.00 an Ash 24 in. dia.

40.00 Let the q. Sec. post, from which
an Ironwood 6 in. dia. bear S 28° 11' 20" E. dist. of
a Beech 5 " " " S 55° E 6 " "

57.60 an Ash 30 in. dia. in the line

80.00 Let a post cor. to Sec. 11 of 12, T.M.N. R3 E, from which
a Beech 6 in. dia. bear S 18° 11' 13" E. dist. of
a Do 21 " " " S 13° E 26 " "

Gently rolling timber as on last mile Soil good

North On E. boundary of Sec. 1, T.M.N. R3 E.

40.00 Let the q. Sec. post, from which
a Beech 12 in. dia. bear East 17' 12" E. dist. of
a Do 15 " " " S 77° 11' 11" E. "

79.50 Intersected the Cor. of Township N. 11 of 12
North, Range N. 3 of 4 East

Level land, timber Beech, ash, sugar &c. mostly
specie. - Surveyed by John M. Donato, U.S.

T.M. N. R. 4 E. 2nd Mer. Indiana

Subdivision var. 5° 30' E
 North Between Sec. 35 & 36, T.M. N. R. 4 E.
 9.40 a Sugar 20 in. dia.
 40.00 at the q^r. Sec. post, from which
 a Beech 15 in. dia. bears S 72 E 9 lbs. dist. of
 an Ash 9 " " " N 35 W 27 " "
 68.25 a Beech 20 " "
 80.00 at a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Sugar 10 in. dia. bears N 60 E 26 lbs. dist. of
 a Water Beech 5 " " " S 45 W 5 " "
 This mile level 2nd rate, timber Beech, Ash &
 Hickory, undergth Spruce &c

East On Ran 8th between Sec. 25 & 36, T.M. N. R. 4 E.
 40.00 at temp^y. q^r. Sec. post
 81.63 intersected the E. boundary 25 lbs. S. of post
 This mile level 2nd rate, Beech, Oak & Hickory
 undergth Spruce &c.

West Corrected Between Sec. 25 & 36, T.M. N. R. 4 E.
 23.38 a Beech 20 in. dia.
 40.81 at q^r. Sec. post at average dist. from which
 an Elm 10 in. dia. bears N 79 W 5 lbs. dist. of
 a Ho 11 " " " S 35 E 24 " "
 49.80 an Elm 20 in. dia.
 81.63 to Sec. Corner.

North Between Sec. 25 & 26, T.M. N. R. 4 E.
 37.21 a Red Oak 48 in. dia.
 40.00 at the q^r. Sec. post, from which
 a Sugar 4 in. dia. bears N 61 E 15 lbs. dist. of
 a Ho 6 " " " N 56 W 22 " "
 55.00 a W. Oak 24 " "
 80.00 at a post Cor. to Sec. 23, 24, 25, 26, from which
 a Sugar 9 in. dia. bears N 62 W 39 lbs. dist. of
 a Ho 12 " " " S 66 E 53 " "

T.M.N. R4E. 2nd Mer. Indiana
 This mile level 2nd rate land, timber Oak
 Beech & Sugar, undergth Spice &c.

East On Rand^m. between Sec. 24 & 25, T.M.N. R4E.
 40.00 Set temp^y. of Sec. post
 82.50 Intersected the E. boundary 50 lks. S. of post
 This mile level 2nd rate, timber Oak, Oak,
 & Beech, undergth Spice &c.

West Connected between Sec. 24 & 25, T.M.N. R4E.
 6.18 a Hickory 10 in. dia.
 41.25 Set of Sec. post at average dist. from which
 a Red Bud 4 in. dia. bears S 44° N 29 lks. dist. of
 an Elm 15 " " " N 71° W 11 " "
 82.50 to Sec. Corner.

North Between Sec. 23 & 24, T.M.N. R4E.
 6.40 a Red Oak 30 in. dia.
 40.00 Set the of Sec. post, from which
 a Sugar 5 in. dia. bears N 85° W 15 lks. dist. of
 an Ash 15 " " " N 50° E 4 " "
 50.00 a Beech 20 " "
 63.50 a Brook 8 lks. wide Course N. E.
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 an Oak 30 in. dia. bears S 44° W 11 lks. dist. of
 a Sugar 10 " " " N 31° E 29 " "
 This mile level, timber Oak, Oak, & Beech
 &c. undergth Spice &c.

East On Rand^m. between Sec. 13 & 24, T.M.N. R4E.
 40.00 Set temp^y. of Sec. post
 43.00 a Brook 8 lks. wide Course N. E.
 67.50 a Brook 10 " " " N. E.
 83.50 Intersected the E. boundary 58 lks. S. of post
 This mile level 2nd rate land Oak, Oak and
 Beech undergth Spice &c.

T.M.N. R4 E. 2nd Mer. Indiana

West Cornered between Secs. 13 & 14, T.M.N. R4 E.
10.14 an Ash 10 in. diam.

41.75 let q. Sec. post at average dist. from which
a Beech 10 in. diam. bears North 23 $^{\circ}$ W. dist. of
a No 9 " " " N44 $^{\circ}$ W 25 " "

47.25 an Elm 20 " "

83.50 to Sec. Corner.

North Between Secs. 13 & 14, T.M.N. R4 E.

10.18 a P. Oak 30 in. diam.

27.50 a Brook 12 $\frac{1}{2}$ hrs. wide Course N.E.

40.00 let the q. Sec. post, from which
a Hickory 20 in. diam. bears S 37 $^{\circ}$ E. 21 $\frac{1}{2}$ hrs. dist. of
a Beech 18 " " " N61 $^{\circ}$ W 4 " "

61.00 an Oak tree 30 " "

80.00 let a post Cor. to Secs. 11, 12, 13 & 14 from which
an Oak 30 in. diam. bears S 78 $^{\circ}$ E 35 $\frac{1}{2}$ hrs. dist. of
a Hickory 10 " " " N64 $^{\circ}$ W 34 " "

Land level 2 $^{\circ}$ rate, timber Beech, Oak
& Ash, undergth Spruce &c.

East On Rand^m. between Secs. 12 & 13

15.00 a Brook 12 $\frac{1}{2}$ hrs. wide Course S.E.

40.00 let temp. q. Sec. post

83.70 Intersected the E. boundary 44 $\frac{1}{2}$ hrs. S. of post
Land level, timber Oak, Oak & Beech
undergth Spruce &c.

West Cornered betwⁿ. Secs. 12 & 13, T.M.N. R4 E.

4.40 a Beech 18 in. diam.

41.85 let q. Sec. post at average dist. from which
a Beech 16 in. diam. bears S 25 $^{\circ}$ W 19 $\frac{1}{2}$ hrs. dist. of
an Elm 3 " " " N10 $^{\circ}$ E 22 " "

52.70 a Red Oak 48 " " in the line

83.70 to Sec. Corner

T.M.N. R4 E. 2^d Mer. Indiana

North & Between Sec. 11 & 12, T.M.N. R4 E.

19.90 an Elm tree 24 in. dia.

20.00 a Brook 15 lks. wide Course S. E.

40.00 Let thru q. Sec. post, from which
a Beech 7 in. dia. bray S 71 E 9 lks. dist. of
an Ironw? 5 " " " S 71 W 19 " "

67.35 a W. Oak 30 " " in the line

80.00 Let a post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 4 in. dia. bray S 35 W 22 lks. dist. of
a Sugar 5 " " " S 63 E 18 " "
This mile timber Beech, Oak & Ash &c.
undergth Spruce &c.

East On Land betwⁿ Sec. 11 & 12, T.M.N. R4 E

40.00 Let temp^y q. Sec. post

83.50 Intersected the E. boundary at the post
this mile land 2^d rate, timber Ash, Oak,
Beech &c. undergth Spruce &c.

West Corrected between Sec. 11 & 12, T.M.N. R4 E.

41.75 Let q. Sec. post at average dist, from which
an Ash 11 in. dia. bray N 35 E 3 lks. dist. of
a Poplar 20 " " " S 35 W 19 " "

83.50 to Sec. Corner.

North & Between Sec. 11 & 12, T.M.N. R4 E

18.00 a Stream 20 lks. wide Course S. E.

23.75 an Ash tree 18 in. dia.

40.00 Let thru q. Sec. post, from which
a Beech 20 in. dia. bray S 65 E 29 lks. dist. of
a Do 30 " " " S 42 W 13 " "

54.25 a P. tree 20 " "

80.95 Intersected the N. boundary 835 lks. N. of post
Let a post Cor. to Sec. 11 & 12, from which
a Beech 18 in. dia. bray N 29 W 18 lks. dist. of
a Locust 30 " " " S 52 W 19 " "

T.M.N. R4 E. 2nd Mer. Indiana

Land level 2nd rate, timber Beech, Oak,
Ash &c. undergth Spice &c

North Between Sec^s. 34 & 35, T11 N. R4 E.

19.08 an Ash 16 in. diam.

40.00 Set the g^r. Sec. post, from which
a Beech 3 in. diam. bran N 3 E 26 lks. dist. &
a Do 10 " " " N 64 W 9 " "

67.50 a W. Oak 20 " "

80.00 Set a post Cor. to Sec^s. 26, 27, 34 & 35, from which
a Beech 30 in. diam. bran S 5 E 20 lks. dist. &
a Sugar 10 " " " N 5 W 29 " "
Land level 2nd rate, timber Ash, Beech
Poplar, undergth Spice &c.

East On Rand^m between Sec^s. 26 & 35, T11 N. R4 E.

17.77 a stream 40 lks. wide Course S. E.

40.00 Set temp^y. g^r. Sec. post

80.50 Intersected the N. S. line 84 lks. S. of post
Land level 2nd rate, timber Oak, Ash &
Beech, undergth Spice &c.

West Corrected between Sec^s. 26 & 35, T11 N. R4 E.

14.50 an Elm 20 in. diam.

40.25 Set g^r. Sec. post at average dist. from which
a W. Oak 30 in. diam. bran N 69 W 9 lks. dist. &
a Hickory 12 " " " N 69 E 11 " "

80.50 to Sec. Corner

North Between Sec^s. 26 & 27, T11 N. R4 E.

16.75 a Sycamore 48 in. diam.

39.93 a stream 40 lks. wide Course E.

40.00 Set the g^r. Sec. post, from which
a Sugar 10 in. diam. bran N 40 W 20 lks. dist. &
a Do 8 " " " S 32 E 17 " "

70.43 an Oak 18 " " in the line

T11N. R4E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 20 in. dia. bran, S 25 E 15 lbs. dist. of
 a do 13 " " " N 9 E 17 " "
 Sand level 2^d. rate, timber Beech, Sugar
 tree, undergth. Spruce

East On Rand^m. betwⁿ. Sec. 23 & 26, T11N. R4E.
 80.00 Set temp^y. g. Sec. post
 81.44 Intersected the N & S. line 75 lbs. S. of post
 Sand level 2^d. rate, timber Beech, Oak,
 Ash &c. undergth. Spruce &c.

West Corrected between Sec. 23 & 26, T11N. R4E.
 12.37 a Swamp Ash 12 in. dia.
 40.72 Set g. Sec. post at average dist. from which
 an Ash 20 in. dia. bran, S 20 E 26 lbs. dist. of
 a Sugar 9 " " " N 9 W 35 " "
 44.65 a Sugar 12 " " in the line
 81.44 to Sec. Corner

North Between Sec. 22 & 23, T11N. R4E.
 27.57 a Beech 18 in. dia.
 40.00 Set the g. Sec. post, from which
 a Beech 10 in. dia. bran, S 52 E 14 lbs. dist. of
 a Hickory 20 " " " N 44 W 11 " "
 59.44 an Elm 20 " "
 80.00 Set a post Corner to Sec. 14, 15, 22, 23, from which
 a Hickory 18 in. dia. bran, S 44 E 3 lbs. dist. of
 a Blue Ash 4 " " " N 10 W 23 " "
 Sand level 2^d. rate, timber Beech, Oak,
 Ash, Poplar &c. undergth. Spruce &c.

East On Rand^m. between Sec. 14 & 23, T11N. R4E.
 40.00 Set temp^y. g. Sec. post
 81.80 Intersected the N & S. line 183 lbs. S. of post
 Sand level 2^d. rate timber Beech, Oak

T.M. N. R. 4 E. 2nd Mer. Indiana

Ash &c. undergth Spruce &c

West Corrected between Sec. 14 & 23, T.M. N. R. 4 E.
 8.92 a Poplar 28 in. diam. ~~tree~~ in the line
 40.90 Set gth Sec. post at average dist from which
 an Oak 48 in. diam. ~~tree~~ 78 W 17 lbs. dist. of
 a Beech 10 " " " S 84 E 13 " "
 43.57 a Beech 10 " "
 81.80 to Sec. Corner

North Between Sec. 14 & 15, T.M. N. R. 4 E.
 23.27 a Beech 15 in. diam.
 40.00 Set the gth Sec. post, from which
 a W. Oak 40 in. diam. ~~tree~~ S 25 W 16 lbs. dist. of
 a Hickory 20 " " " N 33 E 16 " "
 77.86 a Poplar 20 " "
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 20 in. diam. ~~tree~~ S 37 E 30 lbs. dist. of
 an Oak 48 " " " N 85 W 20 " "
 Land level 2nd rate, timber Beech, Oak,
 Ash, undergth Spruce &c.

East On Rand^m betwⁿ Sec. 11 & 14, T.M. N. R. 4 E.
 40.00 Set temp^y gth Sec. post
 81.76 Intersected the N & S. line 259 lbs. S. of post
 Land level 2nd rate, timber Beech, Oak, Oak,
 Sugar &c. undergth Spruce &c.

West Corrected between Sec. 11 & 14, T.M. N. R. 4 E.
 10.55 a Beech 6 in. diam.
 40.88 Set gth Sec. post at average dist from which
 a W. Oak 15 in. diam. ~~tree~~ South 25 lbs. dist. of
 a Beech 24 " " " N 35 E 25 " "
 53.04 a Beech 12 " "
 81.76 to Sec. Corner

T.M.N. - R4E. 2^d. Mer. Indiana

North & Between Sec. 10 & 11, T.M.N. R4E.

2.75 a stream 10 lks. wide Course S.E.

40.00 Let the q^r. Sec. post, from which
a Beech 5 in. dia. bray S 37 E 4 lks. dist. of
a Do 4 " " " N 34 W 15 " "

63.59 a W. Oak 22 " "

80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
a Dogwood 6 in. dia. bray N 54 W 16 lks. dist. of
a Do 5 " " " S 72 E 9 " "
Land level 2^d. rate, timber Ash, Oak, Beech,
undergth. Spruce, Hazel &c.

East On Rand^m. between Sec. 2 & 11, T.M.N. R4E.

40.00 Let temp^y. q^r. Sec. post

82.50 Intersected the N. & S. line 19 lks. N. of post
Land 2^d. rate, Beech, Ash, Oak, undergth.
Spruce, Hazel &c.

West Corrected between Sec. 2 & 11, T.M.N. R4E

6.84 a Beech 19 in. dia.

44.25 Let q^r. Sec. post, from which (at average dist.)
a Beech 6 in. dia. bray N 23 E 24 lks. dist. of
a Do 18 " " " S 49 W 16 " "

68.85 a Beech 24 " "

82.50 to Sec. Corner.

North & Between Sec. 2 & 3, T.M.N. R4E.

19.78 a Beech 10 in. dia.

40.00 Let the q^r. Sec. post, from which
a Box Elder 5 in. dia. bray S 8 E 31 lks. dist. of
a Hickory 10 " " " S 10 W 28 " "
this post stands in a stream 40 lks. wide
Course S.E.

60.19 a Beech 20 in. dia. in the line

85.90 Intersected the N. boundary 10.25 lks. W. of
post, Let a post Cor. to Sec. 2 & 3, from which

M. N. R. 4 E. 2nd Mer. Indiana

a Beech 14 in. dia. bray S 6 E 20 lks. dist. of
 a Do 12 " " " N 39 W 32 " "
 Land level 2nd rate, timber Beech, Oak, Ash
 undergth Spruce, Hazel &c. Sept. 18, 1820

North Between Sec. 33 & 34, M. N. R. 4 E.

5.00 a Stream 15 lks. wide Course S. E.
 11.00 a Brook 8 lks. " " S. E.
 14.50 a Sugar tree 13 in. dia.
 40.00 Let the gth Sec. post, from which
 a Beech 10 in. dia. bray S 25 E 21 lks. dist. of
 a Do 24 " " " N 50 W 31 " "
 62.72 an Ash tree 36 in. dia.
 80.00 Let a post Cor. to Sec. 27, 28, 33 & 34 from which
 a Poplar 60 in. dia. bray S 89 E 37 lks. dist. of
 a Sugar 18 " " " N 89 W 4 " "
 Land level 2nd rate, timber Poplar, Sugar,
 Beech, Ash &c. undergth Spruce &c

East On Rand^m. between Sec. 27 & 34, M. N. R. 4 E.

40.00 Let temp^y gth Sec. post
 80.00 Intersected the N & S. line 97 lks. N. of post
 This mile level of rich, timber Ash, Beech
 & Poplar undergth Spruce

West Corrected between Sec. 27 & 34, M. N. R. 4 E.

5.92 a Sugar tree 18 in. dia. on the line
 40.00 Let the gth Sec. post at average dist. from which
 a Beech 14 in. dia. bray S 60 W 11 lks. dist. of
 a Do 24 " " " N 34 E 23 " "
 53.25 a Sugar 24 " "
 80.00 to Sec. Corner

North Between Sec. 27 & 28, M. N. R. 4 E.

13.50 a Brook 12 lks. wide Course S. E.
 15.72 an Ash tree 20 in. dia.

T.M.N. S.E. 2^d Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a Beech 4 mi. dist. by N 62 E 8 lks. dist. of
 an Oak 60 " " " S 42 N 30 " "
- 58.50 a Stream 15 lks. wide Course E.
- 62.50 a Beech 20 mi. dist.
- 80.00 Set a post Cor. to Sec. 21, 22, 27, 28, from which
 a Beech 18 mi. dist. by N 72 E 5 lks. dist. of
 an Ash 26 " " " S 74 N 22 " "
 This mile level land 2^d rate, timber Ash,
 Beech, Poplar &c. undergth Spruce &c.

- East Out Landth between Sec. 22 & 27, T.M.N. R 4 E
- 20.00 a Stream 12 lks. wide Course South
- 40.00 Set temp. q. Sec. post
- 78.83 Intersected the N 75 line 148 lks. N. of post
 This mile level 2^d rate land, timber Beech,
 Ash, Poplar &c. undergth Spruce &c.

- West Corner between Sec. 22 & 27, T.M.N. R 4 E.
- 5.26 an Ash tree 30 mi. dist.
- 39.41 1/2 Set q. Sec. post at average dist. from which
 a Beech 14 mi. dist. by N 66 E 12 lks. dist. of
 a Do 30 " " " S 66 N 20 " "
- 48.00 a Beech 20 " "
- 78.83 to Sec. Corner.

- North Between Sec. 21 & 22, T.M.N. R 4 E.
- 18.86 a Beech tree 18 mi. dist. by
- 40.00 Set the q. Sec. post, from which
 a Beech 6 mi. dist. by N 23 N 15 lks. dist. of
 a Do 20 " " " S 76 E 29 " "
- 59.18 a Beech 30 " "
- 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 5 mi. dist. by N 35 E 17 lks. dist. of
 a Do 14 " " " S 83 N 22 " "
 Land timber &c. same as on the last mile

T.M.N. R4E. 2^d. Mer. Indiana

East On Rand^m. between Sec. 15 & 22, T.M.N. R4E.

40.00 Set temp^y. g. Sec. post

78.15 Intersected the N & S. line 90 lbs. N. of post

This mile 2^d. rate land, timber Beech, Ash & Oak, underg^d. Spruce &c.

West Connected between Sec. 15 & 22, T.M.N. R4E.

10.85 a Poplar 30 in. dia. in the line

39.07 1/2 Set g. Sec. post at average dist. from which
a Beech 14 in. dia. bears N 60 E 40 lbs. dist. of
an Ash 20 " " " S 37 N 22 " "

57.15 a Beech 14 " " in the line

78.15 to Sec. Corner.

North Between Sec. 15 & 16, T.M.N. R4E

21.00 a W. Oak 36 in. dia. in the line

40.00 Set the g. Sec. post, from which
a Poplar 36 in. dia. bears S 15 E 22 lbs. dist. of
a Walnut 30 " " " N 82 W 32 " "

52.17 an Oak tree 36 " " in the line

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
an Ash 13 in. dia. bears N 86 E 20 lbs. dist. of
a Beech 9 " " " S 36 W 14 " "

This mile some broken, land 2^d. rate, timber Ash, Beech, Poplar &c. underg^d. Spruce &c.

East On Rand^m. between Sec. 10 & 15, T.M.N. R4E.

40.00 Set temp^y. g. Sec. post

79.44 Intersected the N & S. line at the post

Land 2^d. rate timber Oak, Beech & Ash, Spruce under

West Connected between Sec. 10 & 15, T.M.N. R4E.

39.72 Set a post at average dist. for g. Sec. cor. from which
a Beech 16 in. dia. bears S 55 E 27 lbs. dist. of
a Red Oak 36 " " " N 19 E 20 " "

79.44 to Sec. Corner.

T.M.N. R4E. 2nd Mer. Indiana

North & Between Sec^s. 9 & 10, T.M.N. R4E.

10.00 on Elm tree 30 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 12 in. dia. bears S 41° W 18 lbs. dist. of
a Do 9 " " " S 88° E 20 " "

45.30 a Beech 30 " "

50.00 a Brook 8 lbs. wide Course S.E.

55.00 a Do 10 " " " S.E.

80.00 Let a post Cor. to Sec^s. 3, 4, 9 & 10, from which
an Ash 20 in. dia. bears N 82° E 12 lbs. dist. of
a Do 20 " " " S 69° W 6 " "

Land level 2nd rate, timber Ash, Beech &
Oak &c. undergrowth Spruce &c

East On Rand^m. between Sec^s. 3 & 10, T.M.N. R4E

34.00 a Brook 14 lbs. wide Course N.

40.00 Let temp^y. q. Sec. post

80.25 Intersected the N & S. line at the post
Land level 2nd rate, timber Ash, Beech & Oak &c.
undergrowth Spruce.

West Corrected between Sec^s. 3 & 10, T.M.N. R4E.

40.12 1/2 let q. Sec. post at average dist. from which
a Beech 30 in. dia. bears N 68° E 22 lbs. dist. of
a Do 20 " " " S 59° W 26 " "

80.25 to Sec. Corner.

North & Between Sec^s. 3 & 4, T.M.N. R4E.

13.00 a Poplar 30 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 5 in. dia. bears N 47° E 3 lbs. dist. of
a Do 18 " " " N 65° W 39 " "

57.50 a Stream 40 lbs. wide Course S.E.

68.14 a Beech 8 in. dia.

83.88 Intersected the N. boundary 10, 22 lbs. W. of post
Let a post Cor. to Sec^s. 3 & 4, from which

T.M.N. R4 E. 2^d. Mer. Indiana

An Ash 12 mi. dist. bear N43 E 5 lks. dist. of
 a Sugar 20 " " " S73 W 21 " "
 Sand level 2^d. rate, timber, Beech, Ash,
 Poplar, &c. undergth. Spruce &c

North Between Secs. 32 & 33, T.M.N. R4 E.

13.00 a Stream 15 lks. wide Course E.

23.00 a Sugar 10 mi. dist.

40.00 Let the q. Sec. post, from which
 a Gum 30 mi. dist. bear N63 E 28 lks. dist. of
 a Sugar 18 " " " S30 W 19 " "

80.00 Let a post Cor. to Secs. 28, 29, 32 & 33, from which
 a Beech 30 mi. dist. bear N29 E 29 lks. dist. of
 a Sugar 5 " " " S11 W 19 " "
 Sand level 2^d. rate, timber Beech, Sugar,
 Poplar, Ash &c. undergth. Spruce.

East On Rand. between Secs. 28 & 33, T.M.N. R4 E.

40.00 Let temp. q. Sec. post

64.00 a Stream 10 lks. wide Course S. E.

81.61 Intersected the N & S. line 219 lks. S. of post
 Sand level 2^d. rate, timber Beech, Poplar
 Ash &c. undergth. Spruce &c.

West Corrected between Secs. 28 & 33, T.M.N. R4 E.

12.96 a Beech 20 mi. dist. in the line

40.80 1/2 Let q. Sec. post at average dist. from which
 an Elm 4 mi. dist. bear S28 W 19 lks. dist. of
 a Beech 30 " " " N6 E 21 " "

49.86 a Beech 16 " " in the line

81.61 to Sec. Corner.

North Between Secs. 28 & 29, T.M.N. R4 E

20.08 a Beech 18 mi. dist.

40.00 Let the q. Sec. post, from which
 a Beech 30 mi. dist. bear N61 E 21 lks. dist. of

M.N. R4 E. 2^d Mer. Indiana

a Beech 4 mi. dist. bray N 63° W 6 hrs. dist. of
 a Spring 50 hrs. N. E. of $\frac{1}{2}$ mile post (on N. 11. 28)
 54.71 a Beech 10 mi. dist.
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Sugar 18 mi. dist. bray N 60° W 24 hrs. dist. of
 a Beech 12 " " " S 70° E 11 " "
 Land level 2^d rate, timber Beech, Poplar &c.
 undergth Spruce &c.

East On Rand^m between Sec. 21 & 28, M.N. R4 E.
 40.00 Set temp. of Sec. post
 49.00 a stream 40 hrs. wide Course S. E.
 82.00 Intersected the N. & S. line 12 hrs. N. of post
 Land hilly 2^d rate, timber Beech, Ash, Sugar?
 Poplar &c. undergth Spruce &c.

West Corrected between Sec. 21 & 28, M.N. R4 E.
 10.90 an Ash 20 mi. dist.
 41.00 Set the of Sec. post at average dist. from which
 a Beech 12 mi. dist. bray S 80° W 17 hrs. dist. of
 a No 20 " " " N 71° E 12 " "
 49.36 a Beech 20 " "
 82.00 to Sec. Corner.

North Between Sec. 20 & 21, M.N. R4 E.
 20.00 a stream 30 hrs. wide Course E.
 22.00 Same 30 hrs. " " S. W.
 25.00 Same 30 hrs. " " S. E.
 40.00 Set the of Sec. post, from which
 a Dogwood 6 mi. dist. bray N 49° W 11 hrs. dist. of
 a Beech 6 " " " S 11° W 17 " "
 47.10 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 20 mi. dist. bray S 30° W 34 hrs. dist. of
 a No 8 " " " N 35° E 20 " "
 Land timber &c. same as on the last mile

M. N. R. & E. 2^d Mer. Indiana

East On Rand^m between Sec. 16 & 21, M. N. R. & E.

7.27 at Branch 20 lks. wide Course S. E.

40.00 Let temp^y. q. Sec. post

81.43 Intersected the N & S. line 57 lks. S. of post
Land level 2^d. rate, timber Beech, Oak, Ash &c.
underg^g. Spruce &c.

West Corrected between Sec. 16 & 21, M. N. R. & E.

8.36 a Beech 18 in. dia.

40.71 1/2 let q. Sec. post at average dist. from which
a Beech 9 in. dia. bran^d 71° W 16 lks. dist. of
a do 10 " " " S 34 E 14 " "

50.63 a Hickory 14 " " in the line

81.43 to Sec. Corner Sept. 20th 1879

North Between Sec. 16 & 17, M. N. R. & E.

13.25 a Stream 10 lks. wide Course S. E.

22.16 a Beech 8 in. dia.

40.00 Let the q. Sec. post, from which
an Ash 10 in. dia. bran^d N 11° W 12 lks. dist. of
a Beech 5 " " " S 59° W 25 " "

52.90 a Hickory 18 " "

80.00 Let a post Cor. to Sec. 8, 9, 16 & 17, from which
a Sugar 6 in. dia. bran^d N 62° E 19 lks. dist. of
a Beech 22 " " " N 81° W 25 " "

Land level 2^d. rate, timber Oak, Poplar,
Beech &c. underg^g. Spruce & prairie

East On Rand^m between Sec. 9 & 16, M. N. R. & E.

40.00 Let temp^y. q. Sec. post

80.00 Intersected the N & S. line 95 lks. S. of post
Land level 2^d. rate, timber Beech, Sugar
Ash, Oak, Poplar, underg^g. Spruce &c

West Corrected between Sec. 9 & 16, M. N. R. & E.

8.38 a Sugar tree 20 in. dia. stand in the line

M. N. R. & E. T. Mer. Indiana

40.00 Let q. Sec. post at average dist. from which
 a Beech 6 in. diam. bears N 2 W 11 lbs. dist. 5
 a do 8 " " " N 6 W 11 " "
 66.00 a Poplar 36 " "
 80.00 to Sec. Corner.

North Between Sec. 8 & 9, T. 11 N. R. 4 E.

34.40 an Ash 18 in. diam.

40.00 Let the q. Sec. post, from which
 a Beech 12 in. diam. bears N 82 E 6 lbs. dist. 5
 a do 16 " " " S 26 W 34 " "

54.69 a B. Walnut 14 in. diam.

80.00 Let a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 20 in. diam. bears N 43 E 19 lbs. dist. 5
 a do 20 " " " N 60 W 33 " "

Sand level 2^d. rate, timber Beech, Oak, Ash
 Poplar &c. undergth. Spruce &c.

East On Rand^m. between Sec. 4 & 9, T. 11 N. R. 4 E.

40.00 Let temp^y. q. Sec. post

77.75 Intersected the N & S. line at the post
 Sand level 2^d. rate, timber Beech, Poplar
 Oak, undergth. Spruce &c.

West Connected between Sec. 4 & 9, T. 11 N. R. 4 E.

7.46 an Ash 20 in. diam.

38.87 $\frac{1}{2}$ Let q. Sec. post at average dist. from which
 a Poplar 48 in. diam. bears S 22 E 3 lbs. dist. 5
 a Beech 4 " " " N 22 E 15 " "

59.98 a Poplar 24 " "

77.75 to Sec. Corner

North Between Sec. 4 & 5, T. 11 N. R. 4 E.

10.45 a Beech 15 in. diam. ~~bears~~ in the line

25.00 a Stream 40 lbs. wide Corner S. E.

40.00 Let the q. Sec. post, from which

Mt. R4E. 2nd Mer. Indiana

a Sugar 16 in. dia. bran N 25 E 39 lks. dist. 5
 an Ironw. 6 " " " N 50 E 27 " "
 45.61 a Beech 16 " "
 79.00 a stream 20 lks. wide Course S.E.
 88.23 intersected the N. boundary 7.18 lks. N. of post
 Set a post Cor. to Sec. 4 & 5, from which
 a Poplar 48 in. dia. bran N 41 E 23 lks. dist.
 an Oak 4 " " " N 54 W 20 " "
 Land level 2nd rate, timber Beech, Poplar,
 Ash Oak &c. undergth Spruce &c. Sept. 21. 1819

North Between Sec. 31 & 32, Mt. R4E.

29.38 a Maple 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bran N 55 E 22 lks. dist. of
 a Sugar 14 " " " N 88 W 27 " "
 61.95 a Beech 24 " "
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 30 in. dia. bran N 18 E 29 lks. dist. of
 a Do 5 " " " N 77 W 3 " "
 This mile hilly, timber Beech, Oak, Ash &c
 undergth Spruce, Greenbrier &c.

East On Rand. between Sec. 29 & 32, Mt. R4E.

40.00 Set temp. q. Sec. post
 81.42 intersected the N & S. line 96 lks. N. of post
 This mile hilly 2nd rate, timber Oak, Poplar,
 & Beech, undergth Spruce &c.

West Cor. between Sec. 29 & 32, Mt. R4E.

10.50 a Beech 18 in. dia.
 40.71 Set q. Sec. post, at average dist. from which
 a Beech 9 in. dia. bran N 57 W 21 lks. dist. of
 a Do 5 " " " N 55 E 36 " "
 44.00 a Beech 18 " "
 81.44 to Sec. Corner.

T.M.N. R4 E. 2^d. Mer. Indiana

West Between Secs. 30 & 31, T.M.N. R4 E

4.50 a Beech 18 in. diam.

40.00 Set the q. Sec. post, from which

a Beech 9 in. diam. bear N 58 E 22 lks. dist. of

a Do 11 " " " S 49 W 24 " "

43.00 a Brook 12 lks. wide Course South

45.12 a W. Oak 30 in. diam.

70.25 Entered the W. boundary 150 lks. S. of post

Set a post Cor. to Secs. 30 & 31, from which

a Beech 20 in. diam. bear S 54 W 13 lks. dist. of

a Do 25 " " " S 56 E 17 " "

Hilly 3^d rate land timber same as on East (mile

North Between Secs. 29 & 30, T.M.N. R4 E.

12.50 a Poplar tree 30 in. diam.

40.00 Set the q. Sec. post, from which

a Beech 9 in. diam. bear S 82 E 26 lks. dist. of

a Do 6 " " " N 30 W 5 " "

52.90 a Beech 30 " "

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which

a Beech 10 in. diam. bear N 75 E 5 lks. dist. of

a Do 6 " " " S 79 W 35 " "

This mile hilly 3^d rate land, timber Oak, Beech, Ash,
Beech, Oak &c. underg^d. Spruce &c

East On Rand. between Secs. 20 & 29, T.M.N. R4 E.

40.00 Set temp. q. Sec. post

80.00 Entered the N & S. line 36 lks. N. of post

Land hilly 3^d rate, timber Oak, Beech, Ash
&c. underg^d. Spruce &c.

West Connected between Secs. 20 & 29, T.M.N. R4 E.

1.25 a Poplar tree 30 in. diam.

40.00 Set q. Sec. post at average dist. from which

a Beech 8 in. diam. bear N 31 W 35 lks. dist. of

a Do 9 " " " S 22 W 13 " "

43.95 a Beech 14 " "

St. R. & E. 2^d Mer. Indiana

80.00 to Section Corner.

West Between Secs. 19 & 30, St. R. & E.

22.30 an Ash tree 24 in. diam.

40.00 Set the g. Sec. post, from which
a Beech 30 in. diam. bears N 48° E 21 lks. dist. of
a do 20 " " " N 37° E 34 " "

50.90 a Red Oak 36 " "

63.00 a Brook 8 lks. wide Course South

69.50 Intersected the West boundary 185 lks. S. of post
Set a post Cor. to Secs. 19 & 30, from which
a Beech 5 in. diam. bears N 30° E 19 lks. dist. of
a Sugar 7 " " " N 89° W 36 " "
This mile hilly 3^d rate, timber Beech, Oak,
Ash &c. undergth Spruce &c.

North Between Secs. 19 & 20, St. R. & E.

18.07 a Beech 18 in. diam.

40.00 Set the g. Sec. post, from which
a Hickory 5 in. diam. bears N 53° E 7 lks. dist. of
a Beech 14 " " " N 67° W 22 " "

60.00 an Ash tree 18 " "

80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which
a Beech 9 in. diam. bears N 79° E 15 lks. dist. of
a Poplar 30 " " " N 72° W 28 " "
Land hilly 3^d rate, timber Ash, Oak & Beech
undergth Spruce &c.

East On Rand^m between Secs. 17 & 20, St. R. & E.

40.00 Set temp. g. Sec. post

78.80 Intersected the N & S. line 219 lks. S. of post
Land level 2^d rate, timber Beech, Oak, Sugar
Ash, Poplar, undergth

West Corrected between Secs. 17 & 20, St. R. & E.

41.80 an Elm 12 in. diam.

SW 1/4 Sec. 2, Mer. Indiana

- 39.40 Let q. Sec. post at average dist. from which
 a Logwood 3 in. dia. bear S 35 W 17 lks. dist. of
 a Beech 18 " " " N 33 E 15 " "
 46.36 a Beech 8 " "
 78.80 to Sec. Corner.

West Between Sec. 18 & 19, SW 1/4 Sec. 2.

- 12.90 a Sugar 15 in. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 9 in. dia. bear S 51 E 27 lks. dist. of
 a Do 5 " " " N 30 W 8 " "
 60.55 a Beech 30 " "
 70.90 Intersected the W. boundary 3.46 lks. S. of post
 Let a post Cor. to Sec. 18 & 19, from which
 a W. Oak 36 in. dia. bear S 71 E 20 lks. dist. of
 a Do 30 " " " S 88 W 25 " "
 This mile level 2^d. rate, timber Oak, Beech
 and Poplar, underg^d. Spruce &c

North Between Sec. 17 & 18, SW 1/4 Sec. 2.

- 35.25 a Beech 30 in. dia.
 40.00 Let the q. Sec. post, from which
 an Oak 30 in. dia. bear N 71 E 3 lks. dist. of
 a Beech 5 " " " S 42 W 17 " "
 43.12 a W. Oak 36 " "
 80.00 Let a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 9 in. dia. bear S 81 E 37 lks. dist. of
 a Do 12 " " " S 81 W 36 " "
 This mile land level 2^d. rate, timber Beech
 Oak, Ash, Poplar, underg^d. Spruce &c.

East On Land^m between Sec. 8 & 17, SW 1/4 Sec. 2.

- 40.00 Let temp^y. q. Sec. post
 76.30 Intersected the N & S. line 86 lks. S. of post
 Land hilly 2^d. rate, timber Beech, Sugar,
 Oak, Poplar &c. underg^d. Spruce &c.

SM. N. R4 E. 2^d. Mer. Indiana

West Connected between Sec. 8 & 17, SM. N. R4 E.
 9.79 a Hickory 20 in. diam.
 38.15 Set the g. Sec. post at average dist. from which
 a Poplar 36 in. diam. bears S 20° N 5 lbs. dist. of
 an Ash 12 " " " N 41 E 40 " "
 55.93 a Beech 18 " "
 76.30 to Sec. Corner.

West Between Sec. 7 & 18, SM. N. R4 E.
 20.00 a Brook 8 lbs. wide Course N. E.
 20.50 a Poplar 60 in. diam.
 40.00 Set the g. Sec. post, from which
 a R. Oak 18 in. diam. bears N 22 E 32 lbs. dist. of
 a R. Oak 8 " " " S 23 N 11 " "
 57.75 a Hickory 18 " "
 71.30 Entered the W. boundary 5.19 lbs. S. of
 post. Set a post Cor. to Sec. 7 & 18, from which
 a Beech 20 in. diam. bears S 42° N 29 lbs. dist. of
 an Oak 18 " " " N 58 E 20 " "
 Land level 2^d. rate, timber Ash, Beech,
 Hickory, Oak &c. undergth. Spruce &c.

North Between Sec. 7 & 8, SM. N. R4 E.
 8.40 an Ash 30 in. diam.
 40.00 Set the g. Sec. post, from which
 an Ash 6 in. diam. bears N 63° N 5 lbs. dist. of
 an Elm 8 " " " S 13° N 13 " "
 63.85 a W. Oak 18 " "
 65.65 a Brook 8 lbs. wide Course N. E.
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 24 in. diam. bears S 23° N 27 lbs. dist. of
 a Sassafras 9 " " " N 39 E 21 " "
 This mile some broken, land 2^d. rate, timber
 Ash, Beech, Oak &c. undergth. Spruce

East On Land^g. between Sec. 5 & 8, SM. N. R4 E.

St. N. R. 4 E. 2^d Mer. Indiana

33.75 a Stream 20 lks. wide Course N. E.
 40.00 Let the q. Sec. post
 78.53 Intersected the N. & S. line 81 lks. S. of post
 Land level 2^d rate, timber, Beech, Ash,
 Poplar, Sugar &c. undergth Spice &c.

West Cornered between Sec. 5 & 8, St. N. R. 4 E.
 12.53 a Beech 18 in. dia.
 39.26 Let the q. Sec. post at a q. dist. from which
 an Ash 8 in. dia. bear N 4 E 5 lks. dist. of
 a Poplar 18 " " " N 2 W 16 " "
 58.82 a W. Oak 60 " " in the line
 78.53 to Sec. Corner.

West Between Sec. 6 & 7, St. N. R. 4 E.
 12.50 a Sugar 30 in. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 15 in. dia. bear N 20 E 5 lks. dist. of
 a Sugar 14 " " " S 40 W 26 " "
 54.12 a Beech 12 " "
 70.28 Intersected the West boundary 5.43 lks. S.
 of post, let post Cor. to Sec. 6 & 7, from which
 a Beech 30 in. dia. bear N 48 W 3 lks. dist. of
 a Sugar 10 " " " S 88 E 35 " "
 This mile some hilly, timber Ash, Oak &
 Beech, undergth Spice &c. land 2^d rate.

North Between Sec. 5 & 6, St. N. R. 4 E.
 12.75 an Ash 15 in. dia. bear
 40.00 Let the q. Sec. post, from which
 an Ironwood - in. dia. bear N 87 W 5 lks. dist. of
 a Sugar tree 12. " " " N 51 E 32 " "
 56.58 a Beech 18 " "
 90.15 Intersected the N. boundary 5.00 lks. W. of
 post, let a post Cor. to Sec. 5 & 6, from which
 a Beech 10 in. dia. bear N 15 W 12 lks. dist. of

M. N. R. & E. 2.^d Mer. Indiana

at Beech 1 1/2 m. dist. from N 23 E 33 1/2 by dist. of
Land level 2.^d rate, timber Oak, Beech,
Ash, &c. undergrowth Spice &c.
Surveyed in 1819 by Abraham Lee, L. S.

I certify that the foregoing transcript of field notes
of Township N. M. North, Range N. 4 East 2.^d Mer.
Indiana, has been compared with original notes
in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Aug. 5, 1841

E. P. Haines
Sur. Genl.